



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

DVA Array Digital Vertical Array		neto	sis 20% KM
<b>DVA T12</b>	Active 3-Way Array Modul 1400 W/RMS Class-D, 1x12" Woofer, 2 x 6,5" Mid, 3x1" driver, 100°x10°, 136 dB max., 24-Bit/96KHz DSP, Switchmode supply with PFC, RD-Net, Dimm. 580x386x430mm, Weight 29,9kg	2 718 €	3 261,96 €
<b>DVA S30</b>	Active 2x18" Subwoofer with hornloaded Reflaxtunnel, 3000 W/RMS, 2x18" Neodymwoofer with 4" V.C., 141 dB SPL max., 24-Bit/96KHz DSP, Switchmode supply with PFC, RD-Net, Dimm. 1100x580x720mm, Weight 72kg	2 973 €	3 567,96 €
<b>DVA T4</b>	Active 3- Way Line-Array Module, 1x 8" Neo Woofer, Bandpass Design, 1x 6.5" hornloaded Neo Midrange Woofer incl. Phaseplug, 2x1" Neo Compression Driver with 100°x15° CD-Horn, integrated Class- T Amp, 420 W / RMS, 24-bit DSP 96 KHz Sampling_Rate, 24-Bit AD-Converter, analog input limiter + 3-Band Compressor, PFC-Switchmode Supply, Polypropylen-Plastic Housing with integrated Flyware, 16 switchable presets, XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out, 80 – 19.000 Hz, 128 dB SPL peak. Dimesions: 580x240x327mm, Weight 14 kg	1 188 €	1 425,96 €
<b>DVA T4 White</b>	Same as DVA T4 but in white	1 239 €	1 487,16 €
<b>DVA S08</b>	12" high power active bass-reflex subwoofer, 12"RCF Neodym Woofer, strong birch multiplex wood housing finished of with rugged black varnish, solid metal front grill, M20 thread on the top and side. Equipped with a 800W/RMS digipro digital power amp including switch mode supply. With powercon in- and out for mains connection. 800 W/RMS digipro®, max. SPL: 131 dB, Stereo Aktive X-Over, DSP 24 Bit/ 48 kHz. Weight: 26 kg, Dimensions: 370x515x500mm	865 €	1 038,36 €
<b>DVA S09</b>	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted.	1 188 €	1 425,96 €
<b>DVA S09 white</b>	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted. WHITE Version	1 256 €	1 507,56 €
<b>DVA S10</b>	Active Bandpass subwoofer, 18mm birch multiplex cabinet, black structured paint, 18" RCF Neodymium woofer, 1000W/RMS Class-D power amplifier, integrated active x-over, switchable 90/120Hz, 6 handles, M20 thread on top, phase reverse switch, soft clip limiter, freq.response 40Hz-150Hz, 136dB SPL	1 613 €	1 935,96 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>DVA S20</b>	Active double 18" Neodym Subwoofer, Bassreflex Design, Birchwood Housing, 2x RCF18" Neodym Woofer with a 4" Voice Coil, integrated Class-D Amp, 2000 W/RMS, PFC.Switchmode-Supply, active X-over with switchable crossover frequency , , XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out. Blue Wheels can be optionally fitted. 25 – 150 Hz, 138 dB SPL peak. Dimesions: 1100x580x700mm, Weight 70kg	2 548 €	3 057,96 €
<b>SDD Delay</b>	Delay Module for DVA S10/S20, adjustable 1.5-99.5ms, delay-signal-parallel-out.	151 €	181,56 €
<b>DVA Accessories</b>			
<b>DRK-20</b>	Fly Frame for DVA for up to 24 x DVA T12	712 €	854,76 €
<b>S30 Wheelboard</b>	Dolly for S30 subwoofer	231 €	277,44 €
<b>DRK-10</b>	Rigging-Kit for up to 10 x DVA T4	595 €	714,00 €
<b>DRK-10 white</b>	Same as DRK-10 but in white	595 €	714,00 €
<b>DSA-4</b>	Adapter for up to 3x DVA T4 on a speaker stand/pole or floor use through int.feet	275 €	330,48 €
<b>SRK 10</b>	Fly-Hardware-Set for DVA S10 for up to 2x S10 /8x DVA T4 on one DRK-10	265 €	318,24 €
<b>SRK 09</b>	Fly-Hardware-Set for DVA S10 for up to 1x S09 /8x DVA T4 on one DRK-10	230 €	275,40 €
<b>SRK 09 white</b>	Fly-Hardware-Set for DVA S10 for up to 1x S09 /8x DVA T4 on one DRK-10 white	230 €	275,40 €
<b>TC 09S</b>	Cover for DVA S09 Subwoofer	44 €	53,04 €
<b>TC 10S</b>	Cover for DVA S10 Subwoofer	51 €	61,20 €
<b>TC 20S</b>	Cover for DVA S20 Subwoofer	70 €	83,64 €
<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	34 €	40,80 €
<b>DRL-45</b>	Rigging-Lift for DVA T4, Max. Height 4,50m, max. Load 300 kg	2 497 €	2 996,76 €
<b>DCK-45</b>	Cable-Set for 4x DVA T4 containing one Power-Con/EC Plug cable (10m) and 3x Power-Con Slave (0,5m) and 3x XLR Patch Cable (0,5m)	143 €	171,36 €
<b>DCK-15</b>	Cable-Set for 1x DVA T4 containing one Power-Con Patch Cable (0,5m) and one XLR Patch Cable (0,5m)	44 €	53,04 €
<b>DPC-15</b>	PowerCon Patch 0,5m	27 €	32,64 €
<b>DAC-15</b>	XLR-Patch 0,5m	16 €	19,38 €
<b>DT-6</b>	Metall-Trolley for up to 6 x DVA T4 and 1 x DRK-10, prepared for mounting 4 Bluewheels	320 €	383,52 €
<b>DWK-20</b>	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	51 €	61,20 €
<b>DVA case</b>	Professional Flight case for 4 x T4 and 1 x DRK10	813 €	975,12 €
<b>DRP</b>	Raincover for DVA T4	34 €	40,80 €
<b>DWB-3</b>	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations	265 €	318,24 €
<b>DWB-3 white</b>	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations white	265 €	318,24 €
<b>QL Pin</b>	Quick release pin for DVA T4 & DTF brackets	15 €	18,36 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>DVX D</b> digital versatile speakers		Selfpowered, multifunctional high-end loudspeaker system, 18mm birch plywood, digipro™ digital power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components	
<b>DVX D 8</b>	Selfpowered 2-way loudspeaker, 1x 8" RCF neodymium woofer with 2,5" VC, 1x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70° ,integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48Khz DSP for active splitting (1,8KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+-3dB) 100Hz - 19KHz, SPL max. 125dB; dimensions 250x425x260mm, weight 8,5kg / 18,73 lbs.	678 €	813,96 €
<b>DVX D 10</b>	Selfpowered 2-way loudspeaker, 1 x 10" neodymium woofer with 2,5" VC, 1 x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70° ,integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48Khz DSP for active splitting (1,6KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+-3dB) 85Hz - 19KHz, SPL max. 127dB; dimensions 290x510x310mm, weight 11kg / 24,25 lbs.	848 €	1 017,96 €
<b>DVX D 12</b>	Selfpowered 2-way loudspeaker system, 1x12" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment , 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aeroquip-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, dimensions 370x395x625mm, weight 22kg/48.4lbs	1 188 €	1 425,96 €
<b>DVX D 15</b>	Selfpowered 2-way loudspeaker system, 1x15" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment , 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aeroquip-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+-10dB) 49Hz-20KHz, SPL max. 132dB, dimensions 370x395x625mm, weight 25kg/55lbs	1 239 €	1 487,16 €
<b>DVX DM</b> digital stage monitors		Selfpowered "Ultra-Low-Profile" high-end stage monitor, 18mm birch plywood, integrated digipro™ Class-D power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components	

Event Center OÜ



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>DVX DM 28</b>	Selfpowered 2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (30°+ 45°v), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,6KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 35° and 55° angle, PowerCon mains input with link-out, frequency response (+-10dB) 70Hz-20KHz, SPL max. 130dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 480x265x418mm, weight 14kg/30.8lbs	935 €	1 122,00 €
<b>DVX DM 12</b>	Selfpowered 2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	1 188 €	1 425,96 €
<b>DVX DM15</b>	Selfpowered 2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+-10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	1 239 €	1 487,16 €
<b>DVX Accessories</b>			
		0 €	0,00 €
<b>DTF 8</b>	Easy mount bracket for DVX D8, includes 2x quick release pins	105 €	126,48 €
<b>DTF 10</b>	Easy mount bracket for DVX D10, includes 2x quick release pins	105 €	126,48 €
<b>DTF 12</b>	Easy mount bracket for DVX D12, includes 2x quick release pins	170 €	204,00 €
<b>DTF 15</b>	Easy mount bracket for DVX D15, includes 2x quick release pins	170 €	204,00 €
<b>QL Pin</b>	Quick release pin for DVA T4 and all DVX-D models	15 €	18,36 €
<b>TC8</b>	Cover for DVX D8	29 €	34,68 €
<b>TC10</b>	Cover for DVX D10	29 €	34,68 €
<b>TC12</b>	Cover for DVX D12	34 €	40,80 €
<b>TC15</b>	Cover for DVX D15	36 €	42,84 €
<b>TC12M</b>	Cover for DVX DM12	34 €	40,80 €
<b>TC15M</b>	Cover for DVX DM15	36 €	42,84 €
<b>TC28M</b>	Cover for DVX DM28	34 €	40,80 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>TE M10</b>	Eye-bolt set with M10-thread for DVX D12/D15	17 €	20,40 €
<b>TE M8</b>	Eye-bolt set with M8-thread for DVX D8/D10	17 €	20,40 €
<p><b>ARENA PRO</b>                  premium passive speakers</p> <p>Passive loudspeaker systems, 15mm plywood, high quality RCF components, rotatable high-frequency, wide dispersion aluminum horns, multipurpose housing (except subwoofers) and slanted backside, 12 rigging point and pole mount, PTC tweeter protection, Neutric speaker connectors, 1,5mm metal backed grill with acoustic foam rubber</p>			
<b>ARENA 8 PRO</b>	Passive 2-way speaker, 8" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 75Hz-20KHz, sensitivity 94dB 1W/1m, SPL 125dB peak, dimensions 270x458x270mm, weight 10,9 kg/24lbs, including protective cover	406 €	487,56 €
<b>ARENA 10 PRO</b>	Passive 2-way speaker, 10" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 10 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 70Hz-20KHz, sensitivity 96dB 1W/1m, SPL 127dB peak, dimensions 321x508x320mm, weight 14,2 kg/31,3lbs, including protective cover	485 €	581,40 €
<b>ARENA 12 PRO</b>	Passive 2-way speaker, 12" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 379x631x378mm, weight 22,1 kg/48,7lbs, including protective cover	678 €	813,96 €
<b>ARENA 15 PRO</b>	Passive 2-way speaker, 15" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 458x710x453mm, weight 26,2 kg/57,7lbs, including protective cover	757 €	907,80 €
<b>ARENA SW15 PRO</b>	Passive subwoofer, 15" RCF woofer with 3" VC, bassreflex design, 600W/RMS 1200W/PRG, 35-150Hz, sensitivity 99dB 1W/1m, SPL 132dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 460x600x600mm, weight 34,8 kg/76,56lbs	576 €	691,56 €
<b>ARENA SW18 PRO</b>	Passive subwoofer, 18" RCF neodymium woofer with 4" VC, bassreflex design, 1000W/RMS 2000W/PRG, 28-150Hz, sensitivity 98dB 1W/1m, SPL 134dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 565x700x700mm, weight 43,2 kg/95,23lbs	757 €	907,80 €
<p><b>ARENA PRO</b>                  Accessories</p>			



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>TC SW15</b>	Cover for Arena SW15 PRO	34 €	40,80 €
<b>TC SW18</b>	Cover for Arena SW18 PRO	44 €	53,04 €
<b>WBA 810-WB06</b>	Wallmount bracket, adjustable for ARENA 8 PRO, Arena 10 PRO and LIVE210	141 €	169,32 €
<b>WBA 08</b>	Wallmount bracket for ARENA 8 PRO	63 €	75,48 €
<b>WBA 10</b>	Wallmount bracket for ARENA 10 PRO	70 €	83,64 €
<b>WBA 12</b>	Wallmount bracket for ARENA 12 PRO	80 €	95,88 €
<b>WBA 15</b>	Wallmount bracket for ARENA 15 PRO	87 €	104,04 €
<b>TE M 8</b>	Eyebolts Set M8 for ARENA 8 PRO and ARENA 10 PRO	15 €	18,36 €
<b>TE M10</b>	Eyebolts Set M10 for ARENA 12 PRO and ARENA 15 PRO	15 €	18,36 €
<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	34 €	40,80 €
<b>DWK-20</b>	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	51 €	61,20 €
<b>FLEXSYS digital powered speakers</b>	Selfpowered 2-way loudspeaker system, integrated digipro™ Class-D power amp, integrated audio controller for active splitting, phase- and time alignment , system setup, plywood cabinet with 12 integrated M10 rigging points, powerCon mains input		
<b>F 8</b>	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48Khz DSP, 1 x 8" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 10 x M8-rigging points, 1 handle on top, 75-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 121 dB, dimensions 260x420x260mm, weight 9,5 Kg / 20,94 lbs.	383 €	459,00 €
<b>F 10</b>	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48Khz DSP, 1 x 10" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 12 x M8-rigging points, 1 handle on top, 70-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 125 dB, dimensions 300x483x300mm, weight 12 Kg / 26,45 lbs.	425 €	510,00 €
<b>F 12</b>	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48Khz DSP, 1 x 12" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1x top, 2x sides) 65-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 127 dB, dimensions 360x610x360mm, weight 16,5 Kg / 36,37 lbs.	595 €	714,00 €
<b>F 15</b>	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48Khz DSP, 1 x 15" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1x top, 2x sides) 55-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 128 dB, dimensions 430x680x430mm, weight 20 Kg / 44,09 lbs.	678 €	813,96 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>F 212</b>	Selfpowered 2-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 2 x 12" high power woofers incl. ADC™ phase alignment, 1 x 1" RCF neodymium compression driver with 1,75" VC, rotatable 60°x40° horn, 12 x M10 rigging points, integrated tilt unit, Setups: Single/Cluster, SPL max. 132 dB 50Hz-20KHz, dimensions 360x930x500mm, weight 31,5 kg/69,44lbs	1 018 €	1 221,96 €
<b>F 315</b>	Selfpowered 3-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 1 x 15" high power woofer, 1x 6" hornloaded mid range driver, 1 x 1" compression driver with 1,5" VC, rotatable 90°x40° CD-Horn, 12 x M10 rigging points, SPL max. 131 dB, 47Hz-20KHz, dimensions 440x880x500mm, weight 31 kg/68,2lbs	1 120 €	1 344,36 €
		0 €	0,00 €
<b>FI FXSYS</b>			
<b>FM 8</b>	Coaxial Active 8"/1" Stage Monitor, 100W/RMS bi-amp digipack, 24-Bit DSP incl. 8 Presets, 117dB Max. SPL, Pole Mount, Dimm. 280x290x410mm, 9,8kg	287 €	344,76 €
<b>FM 10</b>	Coaxial Active 10"/1" Stage Monitor, 200W/RMS bi-amp digipack, 24-Bit DSP incl. 8 Presets, 120dB Max. SPL, Pole Mount, Dimm. 370x290x410mm, 12,8kg	355 €	426,36 €
<b>FM 12</b>	Coaxial Active 12"/1" Stage Monitor, 200W/RMS bi-amp digipack, 24-Bit DSP inkl. 8 Presets, 120dB Max. SPL, Pole Mount, Dimm. 370x290x410mm, 12,8kg	451 €	540,60 €
<b>SUBdigital digital powered subwoofers</b>			
<b>SUB 12 D</b>	Active 12" Bandpass-Subwoofer, 400 W/RMS digipack, 24-Bit DSP incl. 2 switchable Presets and active Stereo-XOver incl. switchable. cut-off freq., 127dB max. SPL, Dimm. 390x515x500, Weight 19kg	468 €	561,00 €
<b>SUB 05 D</b>	Active 15" Bandpass-Subwoofer, 400 W/RMS digipack, 24-Bit DSP incl. 2 switchable Presets and active Stereo-XOver incl. Switchable cut-off freq., 129dB max. SPL, Dimm. 490x515x610, Weight 27kg	508 €	609,96 €
<b>SUB 15 D</b>	Selfpowered 15" subwoofer with integrated 800W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 436x600x600mm, weight 31 kg/68,34lbs	780 €	936,36 €
<b>SUB 18 D</b>	Selfpowered 18" subwoofer with integrated 1000 W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 530x700x600mm, weight 38 kg/83,77lbs	1 018 €	1 221,96 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>OPERA digital BiAmp Active Speaker</b>		Selfpowered 2-way bi-amp speaker with integrated <b>digipro</b> digital power amp and switched mode supply (except 208/210D), convectional cooling, multipurpose housing made out of Polypropylen, asymmetric CD-Horn 80°/65°x60°, XLR- and Jack inputs with switchable MIC/LINE-sensitivity, XLR-Parallel-Out, DSP 24bit/48Khz incl. limiter, dampening, phase- and timealignment 2 sound-setups, slanted back for 45° floor monitor use, pole mount adaptor, ruggid grill with acoustic foam, IEC socket,fly/wallmountbrackets and covers optionally available	
<b>OPERA 208 D</b>	8" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 78-19.000hz (+-3dB), max. SPL peak 121dB, cut off frequency 2050Hz, dimensions 300x484x284 mm, weight 8,4 Kg/18,51 lbs.	304 €	365,16 €
<b>OPERA 210 D</b>	10" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 71-19.000hz (+-3dB), max. SPL peak 122dB, cut off frequency 2050Hz, dimensions 343x553x304 mm, weight 9,8 Kg/21,60lbs	338 €	405,96 €
<b>OPERA 410 D</b>	10" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 127dB, cut off frequency 1940Hz, dimensions 343x553x304 mm, weight 10,6 Kg/23,36lbs.	406 €	487,56 €
<b>OPERA 402 D</b>	12" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimensions 432x655x353 mm, weight 14,1 Kg/31,08lbs.	468 €	561,00 €
<b>OPERA 405 D</b>	15" woofer mit 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 58-19.000hz (+-3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimmesnsions 432x655x353 mm, weight 14,5 Kg/31,96lbs.	491 €	589,56 €
<b>OPERA 610 D</b>	10" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 24bit/48Khz DSP,frequency range 60-20.000hz (-10dB), max. SPL peak 128dB, dimensions 343x553x304 mm, weight 9,9 Kg.	536 €	642,60 €
<b>OPERA 602 D</b>	12" neodymium woofer with 3"VC, 1" neodymium compression driver 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP, frequency range 68-19.000hz (+-3dB), max. SPL peak 129dB, cut off frequency 1690Hz, dimensions 432x655x353 mm, weight 12,4 Kg/27,33lbs.	610 €	732,36 €
<b>OPERA 605 D</b>	15" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP,frequency range 58-19.000hz (+-3dB), max. SPL peak 130dB, cut off frequency 1670Hz, dimensions 432x655x353 mm, weight 12,9 Kg/28,43lbs.	678 €	813,96 €

Event Center OÜ



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>CROMO Series</b>			
The Cromo Series features the ultra compact digipack digital power amplifiers, based on the successful digipro amp technology for maximum efficiency. The integrated digital sound processor (DSP) caters for perfect sound calibration of the individual speaker components. A compact multifunctional housing of the Cromo speaker line, with asymmetrical CD Horns. All Cromo models have a microphone input on XLR and Jack sockets for maximum flexibility.			
<b>Cromo 8</b>	8" dB Bass, 1" HF driver, 100W, 118 dB SPL max, Dimensions 270x435x252 mm, Weight 9,9 KG	219 €	263,16 €
<b>Cromo 10</b>	10" dB Bass, 1" HF driver, 200W, 121 dB SPL max, Dimensions 320x508x297 mm, Weight 12 KG	270 €	324,36 €
<b>Cromo 12</b>	12" dB Bass, 1" HF driver, 300W, 126 dB SPL max, Dimensions 402x615x356mm, Weight 18,5 KG	338 €	405,96 €
<b>Cromo 15</b>	15" dB Bass, 1" HF driver, 400W, 130 dB SPL max, Dimensions 475x726x423mm, Weight 22.9KG	389 €	467,16 €
<b>K Series</b>			
<b>Compact Active Speaker</b>			
Active Compact Speaker, 90°x90° dispersion, with XLR- and Jack Mic/Line input and additional Stereo RCA input, soft clip limiter on the input stage, optional Handle AK50 and stand adaptors SN120/SN130 are available.			
<b>K 70</b>	1x5" dB Bass + Tweeter, 100 W / Music, 50 W / RMS, 101 dB SPL max, 100 – 16.000Hz, Dimensions 170x270x185 mm, Weight 3,5 Kg	119 €	142,80 €
<b>K 162</b>	2 x 6,5" dB Bass + Tweeter, 130 W / Music, 65 W / RMS, 110 dB SPL max, 85 – 19.000 Hz, Dimensions 210x350x270mm, Weight 5,5 Kg	151 €	181,56 €
<b>K 300</b>	2 x 6,5" neodymium woofer with 1,5"VC, 1" neodymium driver with CD-Horn 80°x60°, Class-D Bi-Amp 80+40 W/RMS, 240 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 118dB, cut off frequency 1720Hz, dimensions 210x350x270 mm, weight 5 Kg/11,02lbs.	230 €	275,40 €
<b>L Series</b>			
<b>Compact Active Speaker</b>			
Active broadband compact speaker incl. XLR- and Jack Mic-Line-Input and additional Stereo-RCA input, Softclip limiter, Wallmountbracket WB03, Standadaptor SN120/SN130 optionally available			
<b>L 80</b>	2x5" broadband chassis with phase correction, 80 W music / 40 W RMS, 100dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 3,1 Kg.	151 €	181,56 €
<b>L 160</b>	2x5" broadband chassis with phase correction, 160 W music / 80 W RMS, 103dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 4,6 Kg.	196 €	234,60 €
<b>Accessories</b>			
<b>Transport Accessories</b>			
<b>TT 01</b>	Cover for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	31 €	36,72 €
<b>TT 02</b>	Cover for Basic100, OPERA 110, Live210, TWIN	31 €	36,72 €
<b>TT 03</b>	Cover for Basic200 / 400	31 €	36,72 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>TT 04</b>	Cover for OPERA LIVE 202, 205, 402, 405	31 €	36,72 €
<b>TT 06</b>	Cover for K-Series & Mobile50	24 €	28,56 €
<b>TT OP 08</b>	Cover for OPERA 208 D	22 €	26,52 €
<b>TT OP 10</b>	Cover for OPERA 210 D & 410 D	27 €	32,64 €
<b>TT OP 25</b>	Cover for OPERA 402 D / 405 D / 602 D / 605 D	27 €	32,64 €
<b>TC S15</b>	Cover for SUB 15D	44 €	53,04 €
<b>TC S18</b>	Cover for SUB 18D	51 €	61,20 €
<b>TC F8</b>	Cover for Flexsys F8	27 €	32,64 €
<b>TC F10</b>	Cover for Flexsys F10	27 €	32,64 €
<b>TC F12</b>	Cover for Flexsys F12	31 €	36,72 €
<b>TC F15</b>	Cover for Flexsys F15	31 €	36,72 €
<b>TC F212</b>	Cover for Flexsys F212	63 €	75,48 €
<b>TC F315</b>	Cover for Flexsys F315	63 €	75,48 €
<b>SWK-18</b>	4 x 100mm wheels for SUB18 D	51 €	61,20 €
<b>Speaker Poles/ Adaptors</b>			
<b>DS-1</b>	Speaker Pole 35mm for SUB 12, 05, 15, height adjustable	34 €	40,80 €
<b>DS-2</b>	Speaker Pole with M20-thread for SUB 15D and SUB 18D	34 €	40,80 €
<b>SN 120</b>	Speaker Stand adaptor for L80/160, M80/160, K-Series	27 €	32,64 €
<b>SN 130</b>	microphone Stand adaptor for L80/160, M80/160, K-Series	27 €	32,64 €
<b>Cables</b>			
<b>C-01</b>	PowerCon-Out cable IEC, 2m	22 €	26,52 €
<b>C-02</b>	Mains cable , 10m	34 €	40,80 €
<b>Brackets / Eye Bolts</b>			
<b>AFL 04</b>	3 x M10-Eye bolt for FL10	19 €	22,44 €
<b>TE M8</b>	4 x M8-Eye bolt for Flexsys F8/F10	15 €	18,36 €
<b>TE M10</b>	4 x M10-Eye bolt for Flexsys F12/15/212/315	15 €	18,36 €
<b>WB 02</b>	U-bracket (vertical) wallmount bracket for OPERA MKI/MKII/LYRIC/ Modular/ Passiv	44 €	53,04 €
<b>WB 03</b>	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, black	22 €	26,52 €
<b>WB 03 W</b>	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, white	22 €	26,52 €
<b>WB 04</b>	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, black	44 €	53,04 €
<b>WB 04 W</b>	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, white	44 €	53,04 €
<b>WB 05</b>	Swivel and tilt bracket for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	88 €	106,08 €
<b>WB 07</b>	U-bracket (vertical) for Basic 200/400	44 €	53,04 €
<b>WB 08</b>	U-bracket (horizontal) for OPERA LIVE 202,205,402,405	51 €	61,20 €

Event Center OÜ



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>WB 09</b>	Universal wall mount bracket, swivel and tilt with Ø35mm pole mount	44 €	53,04 €
<b>WB D10</b>	Wall bracket (U-bracket) for Opera 210D, 410 D	39 €	46,92 €
<b>WB D25</b>	Wall bracket (U-bracket for Opera 402D, 405D, 602D, 605D	44 €	53,04 €
<b>OPERA 110 Mobile Mobile Speaker</b>	10" Bass/1" HF 2-Way Bi-Amp Active Loudspeaker, 12V battery, 80+20 W / Music 40 + 10 W RMS 117 dB SPL max., multifunctional housing, adjustable XLR/jack input, MIC/Line input switchable. Microphone presence adjuster, Mixed Line out, ¼" jack, Dynamic softclip limiter. Build in 16-channel UHF receiver slanted backside (45°&30°), power amp with auto sleep mode, battery life up to 12 hours. Dimesions 550x312x280 mm, Weight 12 kg		
<b>OPERA 110 MOBILE</b>	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max optional hand held or pocket transmitter UH901M or MD / UH900L Dimensions: 22x12x11 in, Weight: 26 lbs	485 €	581,40 €
<b>Accessories</b>			
<b>Mobile Mobile Speaker</b>			
<b>UH 903M</b>	UHF hand held transmitter with TG-X58 capsule, 16 switchable frequencies, 2xAAA-Batterie	141 €	169,32 €
<b>860 M</b>	UHF Handeld Transmitter with Condenser Capsule, 16 selectable frequencies, 2x AA batteries	70 €	83,64 €
<b>860P</b>	UHF pocket transmitter with 5V phantom power and adjustable sensivity PEAK-LED, 2x AA Batteries	70 €	83,64 €
<b>LMB 100 S</b>	Condenser lapell mic (cardioid) incl. clip and windshield, black	39 €	46,92 €
<b>LMB 1000 S</b>	Condenser lapell mic (omni) incl. Clip, black	61 €	73,44 €
<b>HMB 100 S</b>	Condenser Headset (cardioid) black	39 €	46,92 €
<b>HMS 200 S</b>	Discrete condenser ear-mic (omni), skin coloured	39 €	46,92 €
<b>HMS 2000 S</b>	Discrete condenser headset (omni), skin coloured	99 €	118,32 €
<b>MS110</b>	Master-Slave Set, Directional Antenna with integrated transmitter (10mW) for transmitting the complete audio Signal to any other OPERA 110 MOBILE. Range 50-80 meters	420 €	503,88 €
<b>TT 02</b>	Cover for OPERA 110 MOBILE	27 €	32,64 €
<b>ARENA Series Passive 2-Way Speakers</b>	High quality passive 2-way Speaker, 15mm birch/poplar multiplex, multifunctional housing, integrated pole mount on 35mm thread, integrated Flying Points, CD-Horn 90°x70° (90°x40° ) rotatable, 2x Neutrik Speakon Inputs, High Frequency Protection, impedance 8 Ohms.		
<b>ARENA 8</b>	8" dB woofer with 1,5" voice coil, 1" HF driver, 400 W peak, 200 W / RMS, 122 dB SPL max, frequency response 100Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 270x458x270 , Weight 9.3 KG / 20,5 lbs	238 €	285,60 €
<b>ARENA 10</b>	10" dB woofer with 2" voice coil, 1" HF driver, 600 W peak, 300 W / RMS, 125 dB SPL max, frequency response 95Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 321x508x320, Weight 12,2 KG / 26,9 lbs	255 €	306,00 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>ARENA 12</b>	12" dB woofer with 2" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 127 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points, Dimensions- 379x631x378, Weight 17.8 KG / 39,3 lbs	338 €	405,96 €
<b>ARENA 15</b>	15" dB woofer with 2.5" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 129 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points, Dimensions- 458x710x453, Weight 23,7 KG / 52 lbs	440 €	528,36 €
<b>ARENA Series Passive Subwoofers</b>	Passive bass-reflex enclosure 18mm birch Multiplex, 2x Neutrik® Speakon Inputs, black structured paint, 1xM20 thread for pole mount, 8 Ohms		
<b>ARENA SW 15</b>	15" dB woofer with 3" voice coil, 1000 W / peak, 500W/RMS, 130 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 40Hz-150Hz, Dimensions: 470x600x600	355 €	426,36 €
<b>ARENA SW 18</b>	18" dB woofer with 4" voice coil, 1200 W / peak, 600W/RMS, 132 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 35Hz-150Hz, Dimensions: 470x600x600	451 €	540,60 €
<b>ARENA Series Accessories</b>			
<b>WBA 810-WB06</b>	Wallmount bracket, adjustable, for ARENA 8, ARENA 10 and LIVE210	177 €	212,16 €
<b>WBA 08</b>	Wallmount bracket for ARENA 8	63 €	75,48 €
<b>WBA 10</b>	Wallmount bracket for ARENA 10	70 €	83,64 €
<b>WBA 12</b>	Wallmount bracket for ARENA 12	80 €	95,88 €
<b>WBA 15</b>	Wallmount bracket for ARENA 15	87 €	104,04 €
<b>GBA 8</b>	Bag for Arena 8	22 €	26,52 €
<b>GBA 10</b>	Bag for Arena 10	22 €	26,52 €
<b>GBA 12</b>	Bag for Arena 12	27 €	32,64 €
<b>GBA 15</b>	Bag for Arena 15	27 €	32,64 €
<b>TE M8</b>	Eyebolts Set M8 for ARENA 8 and ARENA 10	10 €	12,24 €
<b>TE M10</b>	Eyebolts Set M10 for ARENA 12 and ARENA 15	10 €	12,24 €
<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	34 €	40,80 €
<b>SWK 18</b>	4 x 100mm wheels	51 €	61,20 €
<b>Controller</b>			
<b>ASX 18</b>	2-way X-over / Controller for STAGE OPERA System. 2 x XLR-Input, 4 x XLR-Output, 1 HE, 18 dB 3rd with 80, 100, 200 and 250 Hz frequency cards, Bass-Output.	168 €	201,96 €
<b>DSX 2040</b>	Digital 2 in 4 controller, 48Khz/32-bit signal processing, dynamic range >110dB(A), 3000ms total delay, 4 parameter. EQs per in- and output, programmable x-over and routing-section, editable limiter per output, large LC-Display, bank for 30 presets, USB-interface for programming and data-transfer, 19", 1U, in- and outputs on balanced XLR.	678 €	813,96 €



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>HPA Amplifier</b>			
<b>high power amplifiers</b>			
<b>HPA 1000</b>	Class-HD power amp with 2 x 150W @ 4Ohms, 2 x 330W @ 8 Ohms, 1 x 1020W @ 8 Ohms Damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x402mm, weight 15 kg/33lbs	321 €	385,56 €
<b>HPA 1400</b>	Class-HD power amp with 2 x 740W @ 4Ohms, 2 x 440W @ 8 Ohms, 1 x 1480W @ 8 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 17 kg/37,47lbs	389 €	467,16 €
<b>HPA 2800</b>	Class-HD power amp with 2 x 1400W @ 2 Ohms, 2 x 1050W @ 4 Ohms, 2 x 680W @ 8 Ohms, 1 x 2800W @ 4 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 21 kg/46,29lbs	491 €	589,56 €
<b>HPA 3100 L</b>	Class-HD power amp with switch-mode supply, 2 x 1700W @ 2 Ohms, 2 x 1200W @ 4 Ohms, 2 x 800W @ 8 Ohms, 1 x 3400W @ 4 Ohm, 1 x 2400W @ 8 Ohms, damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 14 kg/30,86lbs	678 €	813,96 €
<b>Switch 6</b>			
Switch 13 into 2 Switching Unit for Speaker Demonstration Purposes.			
<b>Switch 6</b>	2 x XLR-Input into 2x6 XLR-Output, 1 Unit with LED Display and Remote Control. Up to 6 units in parallel mode.	372 €	446,76 €
<b>DWS 800</b>			
<b>digital UHF System</b>			
<b>DWM 800</b>	Handheld system, incl. Handheld transmitter, with beyerdynamic TG-X58 capsule (hypercardoid)	995 €	1 193,40 €
<b>DWM 800 C</b>	Handheld system, incl. Handheld transmitter, with beyerdynamic condenser capsule (hypercardoid)	995 €	1 193,40 €
<b>DWP 800</b>	Pocket system, incl. Pocket transmitter, without microphone/cable	952 €	1 142,40 €
<b>AA 800</b>	Antenna amplifier for DWS 800 system		
<b>PWA 800</b>	Stand adapter for omnidirectional antennas		
<b>DWS 800 R</b>	single Receiver		
<b>DWS 800 M</b>	single handheld Transmitter		
<b>DWS 800 P</b>	single pocket Transmitter		
<b>RDA 800 W</b>	directional antenna		
<b>AS6W</b>	Antenna splitter		
<b>HUB 800</b>	Network Hub		
<b>DWS 800 PC</b>	PC Software for single/multiple units		
<b>PU 860</b>			
<b>UHF Diversity System</b>			
<b>PU860 M</b>	incl. hand held transmitter 860 M with free floating Condenser capsule	117 €	140,76 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>PU860 L</b>	incl. Pocket transmitter 860 P with Condenser clip on Mic. LMB100S	139 €	167,28 €
<b>PU860 H</b>	incl. Pocket transmitter 860 P with condenser headset HMB 100S	151 €	181,56 €
<b>PU860 H Pro</b>	incl. Pocket transmitter 860 P with condenser headset beyerdynamic VH 831	219 €	263,16 €
<b>PU860 A</b>	incl. Pocket transmitter 860 P with condenser ear mic HMS 200S	145 €	173,40 €
<b>PU860 A Pro</b>	incl. Pocket transmitter 860 P with condenser mic HMS 2000S	236 €	283,56 €
<b>PU 860 P</b>	incl. Pocket transmitter 860 P without microphone	134 €	161,16 €
<b>UH 860 M</b>	hand held transmitter 860 M only	77 €	91,80 €
<b>UH 860 P</b>	Pocket transmitter 860 P only	77 €	91,80 €
<b>IEM 600</b> <b>UHF Mono In Ear System</b>	UHF Mono In Ear-System, 16 selectable frequencies 4 frequencies parallel, half rackmount space transmitter with antenna, jack input, Peak-LED, Battery > 10 hours		
<b>IEM 600 InEar – Set</b>	Includes IEM 600 ½ rack mount space transmitter, IEM 600 R Receiver. MPH100 Headphones are optional.	162 €	193,80 €
<b>IEM 600 R Receiver</b>	UHF Mono In Ear Receiver with 16 selectable frequencies.	99 €	118,32 €
<b>MPH 100 MKIII</b> Earphones	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	53 €	63,24 €
<b>Accessories</b>			
<b>Wireless</b>			
<b>PU920 / 903 Series</b>			
<b>VH 301</b>	Rackmount-Set for 1 x PU920/903 receiver	27 €	32,64 €
<b>VH 507</b>	Rackmount-Set for 2 x PU920/902 receiver	27 €	32,64 €
<b>AS 6W</b>	Active antenna splitter for up to 6 x PU920 / 902 receiver	337 €	403,92 €
<b>RDA 950</b>	Passive directional antenna 180° radiation, Signalboost 8dB, can be used as transmitting or receiving antenna.	141 €	169,32 €
<b>AA 900</b>	Antenna booster with 8 or 16 dB boost incl. 20cm BNC/BNC-cable. Only with AS06 / AS6W antenna splitter > phantom power needed.	122 €	146,88 €
<b>PU 850 / 860</b>			
<b>VH 301</b>	19" Rackmount Set for 1 receiver PU850/860	27 €	32,64 €
<b>VH 507</b>	19" Rackmount Set for 2 receivers receiver PU850/860	27 €	32,64 €
<b>Microphones PU920</b>			
<b>LMB 100 M</b>	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	44 €	53,04 €
<b>LMB 1000 M</b>	Condenser lavalier mic (omnidirectional) incl. Clip, Colour: black	75 €	89,76 €
<b>HMB 100 M</b>	Condenser Headset (cardioid) Colour: black	44 €	53,04 €
<b>HMS 200 M</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	44 €	53,04 €
<b>HMS 2000 M</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	105 €	126,48 €
<b>VH 531</b>	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	122 €	146,88 €
<b>VH 506L</b>	Adaptor cable 6,3mm jack, colour:black	22 €	26,52 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>Microphones</b>			
<b>PU903/850/860</b>			
<b>LMB 100 S</b>	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	44 €	53,04 €
<b>LMB 1000 S</b>	Condenser lavalier mic (omnidirectional) incl. Clip , Colour: black	75 €	89,76 €
<b>HMB 100 S</b>	Condenser Headset (cardioid) Colour: black	44 €	53,04 €
<b>HMS 200 S</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	44 €	53,04 €
<b>HMS 2000 S</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	105 €	126,48 €
<b>VH 831</b>	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	105 €	126,48 €
<b>VH 806</b>	Adaptor cable 6,3mm jack, colour:black	22 €	26,52 €

<b>InEar Systems</b>			
<b>VH 301</b>	19" Rackmount Set for 1 transmitter IEM500 / 600 / 1100	27 €	32,64 €
<b>VH 507</b>	19" Rackmount Set for 2 transmitter IEM500 / 600 / 1100	27 €	32,64 €
<b>MPH 100 MKIII</b> Earphones	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	53 €	63,24 €
<b>RDA 950</b>	Passive directional antenna 180° radiation, Signalboost 8bBi, can be used as transmitting or receiving antenna.	141 €	169,32 €

**UUED TOOTED!!!**

<b>DVA Array</b>			
<b>Digital Vertical Array</b>			
<b>DVA S1521N</b> <i>New</i> <i>Available from April</i>	Active 1 x21" Sub BR 1500W/RMS, RDNet	2 856 €	3 427,20 €
<b>DVA S1518N</b> <i>New</i> <i>Available from September</i>	Active 1 x18" Sub BR 1500W/RMS, RDNet	2 499 €	2 998,80 €
<b>DVA S2585 N</b> <i>New</i> <i>Available from September</i>	Active 1x18", 1x15" Cardioid-Sub, 2500W/RMS, RDNet	3 740 €	4 488,00 €
<b>RDNET Control 8</b> <i>New</i>	RDNet Controller for 8 Lines per 32 Speakers, 19"	1 275 €	1 530,00 €
<b>RDNET Control 2</b> <i>New</i>	RDNet Controller for 2 Lines per 32 Speakers	253 €	303,96 €
<b>Dva Accessories</b>			
<b>TCA30S</b> <i>New</i>	Raincover for DVA S30 amplifier	20 €	24,48 €
<b>TCA15S</b> <i>New Available from September</i>	Raincover for DVA S1581,1521,2528 amplifier	20 €	24,48 €
<b>DRK-HK</b> <i>New</i>	Additional hook for DRK-20, plus 2 Pins	31 €	36,72 €
<b>DO-218</b> <i>New</i>	Dolly for S30 (incl. wheels)	253 €	303,96 €
<b>DO-18</b> <i>New</i>	Dolly for S1518,S2585 (incl. wheels)	253 €	303,96 €

Event Center OÜ



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>DCK-27</b> <i>New</i>	Set of 2x2 cables, 2 x powercon links 70cm blue/grey, 2 x XLR M/F 70cm	134 €	161,16 €
<b>RDC-4545</b> <i>New</i>	RDNET cable to interlink speaker's data connection, RJ45-RJ45 70cm	49 €	59,16 €
<b>RDC-45M</b> <i>New</i>	RDNET cable RJ45 to XLR-M, converts data signal XLR male connector, 6cm	48 €	57,12 €
<b>RDC-45F</b> <i>New</i>	RDNET cable RJ45 to XLR-F, converts data signal XLR female connector, 6cm	48 €	57,12 €
<b>TC30S</b> <i>New</i>	Covers DVA S30N	66 €	79,56 €
<b>TC18S</b> <i>New</i>	Covers DVA S1518N	66 €	79,56 €
<b>Cromo +</b>			
<b>CROMO 8+</b> <i>New Available from September</i>	8"/1", 300W digipack	162 €	193,80 €
<b>CROMO 10+</b> <i>New Available from September</i>	10"/1", 400W digipack	204 €	244,80 €
<b>CROMO 12+</b> <i>New Available from September</i>	12"/1", 600W digipack	298 €	357,00 €
<b>CROMO 15+</b> <i>New Available from September</i>	15"/1", 600W digipack	349 €	418,20 €
<b>Opera DX</b>			
<b>OPERA 508 DX</b> <i>New Available from September</i>	8"/1", 500W digipro	281 €	336,60 €
<b>OPERA 510 DX</b> <i>New Available from September</i>	10"/1", 500W digipro	323 €	387,60 €
<b>OPERA 512 DX</b> <i>New Available from September</i>	12"/1", 500W digipro	391 €	469,20 €
<b>OPERA 515 DX</b> <i>New Available from September</i>	15"/1" 500W digipro	408 €	489,60 €
<b>OPERA 710 DX</b> <i>New Available from September</i>	10"/1", 700W digipro	408 €	489,60 €
<b>OPERA 712 DX</b> <i>New Available from September</i>	12"/1", 700W digipro	485 €	581,40 €
<b>OPERA 715 DX</b> <i>New Available from September</i>	15"/1" 700W digipro	527 €	632,40 €
<b>OPERA 910 DX</b> <i>New Available from September</i>	10"/1", 900W digipro	570 €	683,40 €
<b>OPERA 912 DX</b> <i>New Available from September</i>	12"/1", 900W digipro	655 €	785,40 €
<b>OPERA 915 DX</b> <i>New Available from September</i>	15"/1" 900W digipro	697 €	836,40 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14



Event Center OÜ on DB Tehnologies Eesti esindaja.

## dB Technologies hinnakiri 2012.a.

[www.dbtechnologies.com](http://www.dbtechnologies.com)

[www.eventcenter.ee](http://www.eventcenter.ee)

<b>SUB28D</b> <i>New Available from May</i>	Active 2x8" Subwoofer	406 €	487,56 €
<b>SUB808D</b> <i>New Available from May</i>	Active 18" Subwoofer	553 €	663,00 €
<b>L160D</b> <i>New Available from September</i>	Active Speaker, 2x5", 160 W digipack	213 €	255,00 €
<b>Sigma</b>			
<b>Sigma S118</b> <i>New Available from September</i>	Active Subwoofer 18", 1400 W	944 €	1 132,20 €
<b>Sigma S115</b> <i>New Available from September</i>	2-Way Active Speaker 15"/1.4", 1000 W	944 €	1 132,20 €
<b>Sigma S215</b> <i>New Available from September</i>	2-Way Active Speaker 15"/1.4", 1400 W	1 241 €	1 489,20 €
<b>DVX HP</b>			
<b>DVX D8 HP</b> <i>New Available from September</i>	8"/1", 400W/RMS, digipro	612 €	734,40 €
<b>DVX D10 HP</b> <i>New Available from September</i>	10"/1", 600W/RMS, digipro	706 €	846,60 €
<b>DVX D12 HP</b> <i>New Available from September</i>	12"/1,4", 700W/RMS digipro	1 003 €	1 203,60 €
<b>DVX D15 HP</b> <i>New Available from September</i>	15"/1,4", 700W/RMS digipro	1 063 €	1 275,00 €

Event Center OÜ

Kadaka tee 3 Tallinn 10621

Garantii 2 aastat

Tel: +372 652 87 14